

# PALM BEACH ORTHOPAEDIC INSTITUTE, P.A.

G. CLAY BAYNHAM, M.D. | MICHAEL COONEY, M.D. | MELISA ESTES, M.D. | VINCENT FOWBLE, M.D. | KENNETH GERSZBERG, M.D.  
BRIAN HILL, M.D. | JOHN HINSON, M.D. | JAMES KERPSACK, M.D. | JUSTIN KEARSE, M.D. | MICHAEL LEIGHTON, M.D. | FERNANDO MORA, M.D.  
ANDREW NOBLE, M.D. | SCOTT NORRIS, D.O. | JOHN SCHILERO, D.P.M. | ANDREW SELTZER, D.O. | GARY WEXLER, M.D.

---

## **Rehabilitation Protocol** **Monteggia Fracture - Dislocation**

### **Phase I: Early ROM & Protect Repair** (*0 to 6 weeks*)

- Splint and postop dressing remains in place for the first week.
- Sutures will be removed by surgeon in 10-14 days.
- Night splint (60 degrees flexion) is to be worn at during day and night (after the initial dressing removed)
- Initiate elbow exercise program 5 times per day:
  - Passive and active elbow ROM to full flexion
  - Elbow extension to 30 (with forearm pronated)
  - Forearm pronation/supination ROM with elbow at 90 degrees flexion
- Grip and wrist/hand AROM immediately.
- Avoid terminal 30 degrees extension, perform supination ROM only with the elbow flexed to 90 degrees.

### **Phase II: Full ROM and function** (*>6 weeks*)

- Discontinue night splint.
- Advance ROM:
  - Full elbow and forearm ROM
  - Terminal elbow extension performed with the forearm neutral or pronated until 3 months.
- Initiate elbow and forearm strengthening.
- Avoid varus forces across the elbow until 3 months postop.
- Avoid activities creating axial load to involved extremity until 3 months postop.

---

(561) 694-7776 | [www.pboi.com](http://www.pboi.com)

4215 BURNS RD, SUITE 100, PALM BEACH GARDENS, FL 33410 | 2055 MILITARY TR, SUITE 200, JUPITER, FL 33458  
1411 FLAGLER DR, SUITE 9800, WEST PALM BEACH, FL 33401 | 7701 SOUTHERN BLVD, SUITE 100, WEST PALM BEACH, FL 33411